

BLANK PAGE



Indian Standard SPECIFICATION FOR EDIBLE COTTONSEED FLOUR PREPARED BY LIQUID CYCLONE PROCESS

UDC 664.641.2 [633.512]



© Copyright 1986

INDIAN STANDARDS INSTITUTION MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 1:0002

Indian Standard

SPECIFICATION FOR EDIBLE COTTONSEED FLOUR PREPARED BY LIQUID CYCLONE PROCESS

Nutrition Sectional Committee, AFDC 37

Chairman

DR P. R. KRISHNASWAMY

Representing

United Breweries Group, Bangalore

Members

DR K. T. ACHAYA

DR B. P. BALIGA

SHRI M. C. BADAMI (Alternate)

DR A. D. DEODHAR

DR B. N. MATHUR (Alternate)
DR SHRIMATI RAJAMMAL

P. DEVDAS
DR SYED RIYAZ AHMED (Alternate)

SHRI K. S. KANNAN

DR R. JAYARAM (Alternate)

Maj-Gen Kewal Krishna

COL G. B. MATHUR (Alternate)
DR B. M. LAL

DR S. K. MEHTA (Alternate) DR G P. MATHUR

SHRI N. MRUTHUNJAYA DR C. L. NAGARSEKAR

SHRI B. S. NABAYNA Rec DR V. S. SAXENA (Alternate I) SHRI BRUDEB GUPTA (Alternate II)

SHRIK, L. RADHARRISHWAN

DR G. A. SULEBELE (Alternate)
DR N. S. RAJAGOPAL

DR M. K. KUNDU (Alternate)

In personal capacity (282 Hundred Seet Road, Indra

Nagar, Bangalore)
Tata Oil Mills Co Ltd. Bombay

tata Oil Mills Co Ltd, Bombay

Britannia Industries Ltd, Bombay

National Dairy Research Institute (ICAR), Karnal

Home Science Association of India, Coimbatore

Karnai

a)

Directorate General of Armed Forces Medical Services, New Delhi

Indian Agricultural Research Institute (ICAR), New Delhi

Hindustan Lever Ltd, Bombay

Bangalore Dairy Miltone Project, Bangalore
Protein Foods & Nutrition Development

Association of India, Bombay
Reckitt & Colman of India Ltd, Calcutta

1)

Modern Food Industries (India) Ltd, New Delhi

Directorate of Vanaspati, Vegetable Oils & Fats (Ministry of Food & Civil Supplies), New Delhi

(Continued on page 2)

C Copyright 1986

INDIAN STANDARDS INSTITUTION

This publication is protected under the *Indian Copyright Act* (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

(Continued from page 1)

Mambers

Representing

SHRI S. RAMASWAMY

Directorate General of Technical Development. New Delhi

ASSISTANT DEVELOPMENT OFFICER (Alternate)

DR P. R. RANGANATHAN

DR B. S. NABASINGA RAO SHRI K. NARAYAN RAO

Mysore Snack Food Ltd, Bangalore National Institute of Nutrition, Hyderabad Food Corporation of India, New Delhi

SHRI C. S. SHIVANNA (Alternate)

Union Ltd, Anand

DB M. V. RAMA RAO

Defence Food Research Laboratory, Mysore

DR K. SANTHANAM (Alternate) DR S. VENKATA RAO

Central Food Technological Research Institute (CSIR), Mysore Sathe Biscuits & Chocolates Co Ltd. Pune

SERI M. G. SATEE

SHRI S. V. PHADKE (Alternate) Dr P. C. Sen

Director General of Health Services, New Delhi

Additional Director General

(PFA) (Alternate)

Solvent Extractor's Association of India, Bombay Kaira District Co-operative Milk Producers'

Shri R. K. Seth Shri V. H. Shah

SHRI KAILASH VYAS (Alternate) SHRI G. D. SHARMA

Food & Nutrition Board, Department of Food (Ministry of Food & Civil Supplies), New Delhi

DR B. K. NANDI (Alternate) DR U. C. UPADHYAY

Indian Council of Agricultural Research, New Delhi

DR P. B. MATHUR (Alternate)

G. B. Pant University of Agriculture &

KUMARI M. S. USHA

Technology, Pantnagar Roller Flour Millers Federation of India, New Delhi

SHRI VINEET VIRMANI

SHRI SANTANU CHAUDRUBI (Alternate) Director General, ISI (Ex-officio Member)

SHRI T. PURNANANDAM. Director (Agri & Food)

Secretary SERIMATI SHASHI SAREEN Deputy Director (Agri & Food), ISI

Protein Rich Foods Subcommittee, AFDC 37:2

Convener

DR G. A. SULEBELE

Modern Food Industries (India) Ltd, New Delhi

Members

DR K. T. ACHAYA (PFA)

In personal capacity ADDITIONAL DIRECTOR GENERAL Directorate General of Health Services, New Delhi

SHRIMATI DEBI MUKHERJEE (Alternate)

(Continued on page 8)

AMENDMENT NO. 1 JUNE 1988

TO

IS:11581-1986 SPECIFICATION FOR EDIBLE COTTONSEED FLOUR PREPARED BY LIQUID CYCLONE PROCESS

[Page 5, Table 1, Sl No.(viii), col 2] - Substitute 'Residual solvent mg/kg, Max' for the existing matter.

(AFDC 37)

Reprography Unit, BIS, New Delhi, India

Indian Standard

SPECIFICATION FOR EDIBLE COTTONSEED FLOUR PREPARED BY LIQUID CYCLONE PROCESS

O. FOREWORD

- **0.1** This Indian Standard was adopted by the Indian Standards Institution on 21 February 1986, after the draft finalized by the Nutrition Sectional Committee had been approved by the Agricultural and Food Products Division Council.
- 0.2 Protein forms an essential constituent of human diet. Cottonseed oilcakes are now increasingly used for the preparation of edible cottonseed flour and there is considerable scope for commercial production of this product. The flour, is rich in protein and lysine and may be used as a protein supplement in human dietaries. It is obtained as a powder which may be used both in blended and processed foods. In view of these possibilities, the Regional Research Laboratory, Hyderabad, carried out pioneering work on the production of edible cottonseed flour made by the liquid cyclone process and it is now being manufactured in the country on a commercial scale. This standard has been prepared to help in exercising proper quality control of edible cottonseed flour, made by the liquid cyclone process (LCP) from cottonseed meals.
- 0.3 A separate Indian Standard (IS: 4876-1986*) has been published on edible cottonseed flour (solvent extracted).
- 0.4 While formulating this standard due consideration has been given to the relevant rules issued by the Government of India under the Prevention of Food Adulteration Act, 1954. This standard is, however, subject to the restrictions imposed under that Act, wherever applicable.
- 0.5 This standard contains 2.2 which calls for an agreement between the purchaser and the supplier.
- 0.6 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated,

^{*}Specification for edible cottonseed flour (solvent extracted) (first revision).

IS: 11581 - 1986

expressing the result of a test or analysis, shall be rounded off in accordance with IS: 2-1960*. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

1. SCOPE

1.1 This standard prescribes the requirements and the methods of sampling and test for edible cottonseed flour prepared by liquid cyclone process.

2. REQUIREMENTS

2.1 Description — The material shall be obtained from cleaned, delinted and dehulled cottonseeds by means of liquid cyclone process. It shall be in the form of flour of white to pale brownish-yellow colour, uniform in composition and free from insects, rodent hair and excreta, fungal infection, objectionable odour and rancid taste. It shall not contain added flavouring or odouring agents or any other extraneous matter.

Note — The appearance, taste and odour shall be determined by organoleptic tests.

- 2.2 Particle Size Unless otherwise specified by the purchaser, the material shall be such that it passes completely through a 150-micron IS Sieve [see IS: 460 (Part 1)-1978†].
- 2.3 The material shall be manufactured, packed, stored and distributed under hygienic conditions in licensed premises (see IS: 2491-1972‡).
- 2.4 The material shall also comply with the requirements given in Table 1.

3. PACKING

3.1 The material shall be packed in sealed metal containers or jute/hessian bags with polyethylene lining of 40 to 75 microns.

^{*}Rules for rounding off numerical values (revised).

[†]Specification for test sieves: Part 1 Wire cloth test sieves (first ravision).

Code for hygeinic conditions for food processing units (first revision).

TABLE 1 REQUIREMENTS FOR EDIBLE COTTONSEED FLOUR OBTAINED BY LIQUID CYCLONE PROCESS

(Clause 2.4)

St No.	CHARACTERISTIC REQUIREMENT		METHOD OF TEST, REF	
			IS: 4684- 1975*	Others
(1)	(2)	(3)	(4)	(5)
i)	Moisture, percent by mass, Max	8.0	В	_
ii)	Crude protein ($N \times 6.25$) (on dry basis) percent by mass, Min	, 55.0	C	-
iii)	Available lysine, g per 100 g of crude protein, Min	e 3·9		Appendix A of 1S: 4876-1986†
iv)	Total ash (on dry basis), percent by mass, Max	y 5· 0	D	
v)	Acid in soluble ash (on dry basis), percent by mass, Max	0.35	E	analoga.
vi)	Fat (on dry basis), percent by mass, Max	3.0	F	
vii)	Crude fibre (on dry basis), percent by mass, Max	5.0	н	
viii)	Residual solvent mg/kg	170		IS: 11674-1986‡
ix)	Free gossypol, percent by mass, Max	0.06		Appendix B of IS: 4876-1986†
x)	Total gossypol, percent by mass, Max	0.5	_	Appendix C of IS: 4876-1986†
xi)	Total bacterial count per g, Max	50 000		IS: 5402-1969§
xii)	Coliform bacteria per g, Max	10		IS: 5401-1969
xiii)	Salmonella bacteria	Nil	_	IS: 5887 (Part 3)-1976¶

^{*}Specification for edible groundnut flour (expeller pressed) (first revision).

[†]Specification for edible cottonseed flour (solvent extract),

^{*}Method for determination of residual solvent from flash point determination by modified Pensky-Martens closed tester.

Method for standard plate count of bacteria in foodstuffs.

[#]Method for detection and estimation of coliform bacteria in foodstuffs.

Method for detection of bacteria responsible for food poisoning: Part 3 Isolation and identification of salmonella and shigella (first revision).

IS: 11581 - 1986

4. MARKING

- 4.1 The following particulars shall be marked legibly or labelled on each container:
 - a) Name of the material;
 - b) Name and address of the manufacturer;
 - c) Batch or code number;
 - d) Net mass;
 - e) Date of manufacture; and
 - f) Any other requirements under the Standards of Weights and Measures (Packaged Commodities) Rules, 1977.
- 4.1.1 Each container may also be marked with the ISI Certification Mark.

Note — The use of the ISI Certification Mark is governed by the provisions of the Indian Standards Institution (Certification Marks) Act and the Rules and Regulations made thereunder. The ISI Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well-defined system of inspection, testing and quality control which is devised and supervised by ISI and operated by the producer. ISI Marked products are also continuously checked by ISI for conformity to that standard as a further safeguard. Details of conditions under which a licence for the use of the ISI Certification Mark may be granted to manufacturers or processors, may be obtained from the Indian Standards Institution.

5. SAMPLING

- 5.1 The method of drawing representative sample of the material and the criteria for conformity shall be as prescribed in IS: 5315-1978*.
- 5.2 The composite sample of at least 2 kg as given 7.1 of IS: 5315-1978* shall be divided into three test samples, three samples for moisture determination and three samples for testing micro-biological requirements. Each test sample shall comprise about 500 g, each sample for moisture determination about 100 g and each sample for testing microbiological requirements about 50 g.
- 5.3 The lot shall be declared as conforming to the requirements of the specification if all the test results on the test sample, for moisture determination and sample for microbiological requirements are found to be conforming to the relevant specification requirements.

^{*}Method of sampling for milled cereals and pulses products (first revision).

6. TESTS

- 6.1 Tests shall be carried out in accordance with 2.1, 2.2 and appropriate appendices as specified in col 4 and 5 of Table 1.
- 6.2 Quality of Reagents Unless specified, otherwise, pure chemicals shall be employed in tests and distilled water (see IS: 1070-1977*) shall be used where the use of water as a reagent is intended.

Note — 'Pure chemicals' shall mean chemicals that do not contain impurities which affect the results of analysis.

^{*}Specification for water for general laboratory use (second revision).

IS: 11581 - 1986

(Continued from page 2)

Members

SHRI S. N. AGARWAL SHRI M. C. BADAMI

DR G. S. SABNIS (Alternate)

SHRI J. M. DATTA BRIG S. K. DEWAN Representing

Prag Ice & Oils Mills, Aligarh Tata Oil Mills Co Ltd, Bombay

The Britannia Industries Ltd, Bombay
Technical Standardization Committee
(Foodstuffs) (Ministry of Food & Civil

Supplies), New Delhi

SHRI K. S. KRISHNAMURTHY (Alternate)

SHRI G. LAKSHMINARAYANA

Regional Research Laboratory (CSIR), Hyderabad

DR A. B. AFZALPURKAR (Alternate)
SHRI N. MRUTHUNJAYA BA
DR C. L. NAGARSEKAR Pro

SHRI K. L. RADHAKRISHNAN DR N. S. RAJAGOPAL

DR M. K. KUNDU (Alternate)
SHRI S. RAMASWAMY

DR D. R. RANGANATHAN DR B. S. NARASINGA RAO SHRI K. NARAYANA RAO SHRI C. S. SHIYANNA

SHRI C. S. SHIVANNA (Alternate)
DR U. Y. REGE

SHRI V. H. SHAR

SERI DINESH SHAHRA

SHRI SANTOSH SHAHRA (Alternate)
DR G. D. SHARMA
FO

DE B. K. NANDI (Alternate) SHRI M. KANTHARAJ URS Bangalore Dairy Miltone Project, Bangalore
Protein Foods & Nutrition Development
Association of India, Bombay

Modern Food Industries (India) Ltd, New Delhi Directorate of Vanaspati, Vegetable Oils & Fats (Ministry of Food & Civil Supplies), New Delhi

Directorate General of Technical Development, New Delhi

Mysore Snack Foods Ltd, Bangalore National Institute of Nutrition, Hyderabad Food Corporation of India, New Delhi

Raptakos Brett & Company Ltd, Bombay
Kaira District Co-operative Milk Producers'
Union Ltd, Anand
General Foods Private Ltd, Indore

Food & Nutrition Board, Department of Food (Ministry of Food & Civil Supplies), New Delhi

Central Food Technological Research Institute (CSIR), Mysore

DR G. RAMANATHAN (Alternate)



INDIAN STANDARDS INSTITUTION

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002

Telephones: 331 0131	331 1375	Telegrams : M (Common to	
Regional Offices:			Telephone
*Western : Manakalaya BOMBAY		ol Andheri (East)	6 32 92 95
	Γ. Scheme VII M, CALCUTTA 7000		36 24 99
	146, Sector <mark>35-C</mark> ARH 160036		{ 2 18 43 3 16 41
Southern : C. I. T. Cam	npus, MADRAS 6	500113	{\frac{41 24 42}{41 25 19}{41 29 16}
Branch Offices:			
'Pushpak', Nurmohame AHMADABAD 3800		hanpur	{ 2 63 48 2 63 49
'F' Block, Unity Bldg, N BANGALORE 56000		uare,	22 48 05
Gangotri Complex, 5th T. T. Nagar, BHOPAL		a Road,	6 67 16
Plot No. 82/83, Lewis	Road, BHUBANE	SHWAR 751002	5 36 27
53/5 Ward No. 29, R. GUWAHATI 781003		th Byelane,	*******
5-8-56C L. N. Gupta M	larg, HYDERABA	D 500001	22 10 83
R14 Yudhister Marg, C	Scheme, JAIPU	R 302005	{ 6 34 71 6 98 32
117/418 B Sarvodaya I	Nagar, KANPUR :	208005	{21 68 76 21 82 92
Patliputra Industrial Est	ate, PATNA 800	013	6 23 05
Hantex Bldg (2nd Floor TRIVANDRUM 6950	r), Rly Station Ro 01	oad,	52 27
Inspection Office (With	Sale Point):		
Institution of Engineers PUNE 411005	(India) Building,	1332 Shivaji Nagar,	5 24 35
*Sales Office in Bomba BOMBAY 400007	y is at Novelty Chai	mbers, Grant Road,	89 65 28
†Sales Office in Calco P.O. Princep Street, CALCU	utta is at 5 Chow	ringhes Approach,	27 68 00